

Cancellous $\phi 3.5$ (Full Thread)

Catalog Number	Length (mm)
412.100	10
412.120	12
412.140	14
412.160	16
412.180	18
412.200	20
412.220	22
412.240	24
412.260	26
412.280	28
412.300	30
412.320	32
412.340	34
412.360	36
412.380	38
412.400	40
412.420	42
412.440	44
412.460	46
412.480	48
412.500	50

Cancellous $\phi 4.0$ (Full Thread)

Catalog Number	Length (mm)
419.120	12
419.140	14
419.160	16
419.180	18
419.200	20
419.220	22
419.240	24
419.260	26
419.280	28
419.300	30
419.320	32
419.340	34
419.350	35
419.360	36
419.380	38
419.400	40
419.420	42
419.440	44
419.460	46
419.480	48
419.500	50

Cancellous Locking $\phi 6.5$ Half Thread



Catalog Number	Length (mm)
420.65.1/2.400	40
420.65.1/2.450	45
420.65.1/2.500	50
420.65.1/2.550	55
420.65.1/2.600	60
420.65.1/2.650	65
420.65.1/2.700	70
420.65.1/2.750	75
420.65.1/2.800	80
420.65.1/2.850	85
420.65.1/2.900	90
420.65.1/2.950	95
420.65.1/2.1000	100
420.65.1/2.1050	105
420.65.1/2.1100	110

Cancellous Locking $\phi 6.5$ 1/3 Thread



Catalog Number	Length (mm)
420.65.1/3.500	50
420.65.1/3.550	55
420.65.1/3.600	60
420.65.1/3.650	65
420.65.1/3.700	70
420.65.1/3.750	75
420.65.1/3.800	80
420.65.1/3.850	85
420.65.1/3.900	90
420.65.1/3.950	95
420.65.1/3.1000	100
420.65.1/3.1050	105
420.65.1/3.1100	110

Cortex Screw $\phi 3.5$



Catalog Number	Length (mm)
411.100	10
411.120	12
411.140	14
411.160	16
411.180	18
411.200	20
411.220	22
411.240	24
411.260	26
411.280	28
411.300	30
411.320	32
411.340	34
411.360	36
411.380	38
411.400	40
411.420	42
411.440	44
411.460	46
411.480	48
411.500	50

Cancellous $\phi 4.0$ (Half Thread)



Catalog Number	Length (mm)
415.120	12
415.140	14
415.160	16
415.180	18
415.200	20
415.220	22
415.240	24
415.260	26
415.280	28
415.300	30
415.320	32
415.340	34
415.350	35
415.360	36
415.380	38
415.400	40
415.420	42
415.440	44
415.460	46
415.480	48
415.500	50

Cortex Screw $\phi 4.5$



Catalog Number	Length (mm)
410.120	12
410.140	14
410.160	16
410.180	18
410.200	20
410.220	22
410.240	24
410.260	26
410.280	28
410.300	30
410.320	32
410.340	34
410.360	36
410.380	38

Catalog Number	Length (mm)
410.400	40
410.420	42
410.440	44
410.460	46
410.480	48
410.500	50
410.520	52
410.540	54
410.560	56
410.580	58
410.600	60
410.620	62
410.640	64

Cancellous $\phi 6.5$ Full Thread



Catalog Number	Length (mm)
414.020	20
414.025	25
414.030	30
414.035	35
414.040	40
414.045	45
414.050	50
414.055	55
414.060	60
414.065	65
414.070	70
414.075	75
414.080	80
414.085	85
414.090	90
414.095	95
414.100	100
414.105	105
414.110	110

Ring Washer $\phi 4.5$



Catalog Number : 415.04

PRODUCT SPECIFICATION

GSS Monaxial Pedicle Screw

Feature	Cat.No	Length(mm)
(Dia=4.5mm)	GS0101-4520	20
	GS0101-4525	25
	GS0101-4530	30
	GS0101-4535	35
	GS0101-4540	40
	GS0101-4545	45
	GS0101-4550	50
	GS0101-4555	55
	GS0101-4560	60

Feature	Cat.No	Length(mm)
(Dia=5.5mm)	GS0101-5520	20
	GS0101-5525	25
	GS0101-5530	30
	GS0101-5535	35
	GS0101-5540	40
	GS0101-5545	45
	GS0101-5550	50
	GS0101-5555	55
	GS0101-5560	60

Feature	Cat.No	Length(mm)
(Dia=6.5mm)	GS0101-6520	20
	GS0101-6525	25
	GS0101-6530	30
	GS0101-6535	35
	GS0101-6540	40
	GS0101-6545	45
	GS0101-6550	50
	GS0101-6555	55
	GS0101-6560	60

Feature	Cat.No	Length(mm)
(Dia=7.5mm)	GS0101-7520	20
	GS0101-7525	25
	GS0101-7530	30
	GS0101-7535	35
	GS0101-7540	40
	GS0101-7545	45
	GS0101-7550	50
	GS0101-7555	55
	GS0101-7560	60

Feature	Cat.No	Length(mm)
(Dia=8.5mm)	GS0101-8520	20
	GS0101-8525	25
	GS0101-8530	30
	GS0101-8535	35
	GS0101-8540	40
	GS0101-8545	45
	GS0101-8550	50
	GS0101-8555	55
	GS0101-8560	60

GSS polyaxial Pedicle Screw

Feature	Cat.No	Length(mm)
(Dia=4.5mm)	GS0102-4520	20
	GS0102-4525	25
	GS0102-4530	30
	GS0102-4535	35
	GS0102-4540	40
	GS0102-4545	45
	GS0102-4550	50
	GS0102-4555	55
	GS0102-4560	60

Feature	Cat.No	Length(mm)
(Dia=5.5mm)	GS0102-5520	20
	GS0102-5525	25
	GS0102-5530	30
	GS0102-5535	35
	GS0102-5540	40
	GS0102-5545	45
	GS0102-5550	50
	GS0102-5555	55
	GS0102-5560	60

Feature	Cat.No	Length(mm)
(Dia=6.5mm)	GS0102-6520	20
	GS0102-6525	25
	GS0102-6530	30
	GS0102-6535	35
	GS0102-6540	40
	GS0102-6545	45
	GS0102-6550	50
	GS0102-6555	55
	GS0102-6560	60

Feature	Cat.No	Length(mm)
(Dia=7.5mm)	GS0102-7520	20
	GS0102-7525	25
	GS0102-7530	30
	GS0102-7535	35
	GS0102-7540	40
	GS0102-7545	45
	GS0102-7550	50
	GS0102-7555	55
	GS0102-7560	60

Feature

PRODUCT SPECIFICATION

GSS Monoaxial Reduction Screw

Feature	Cat.No	Length(mm)
 (Dia=4.5mm)	GS0103-4520	20
	GS0103-4525	25
	GS0103-4530	30
	GS0103-4535	35
	GS0103-4540	40
	GS0103-4545	45
	GS0103-4550	50
	GS0103-4555	55
	GS0103-4560	60

Feature	Cat.No	Length(mm)
 (Dia=5.5mm)	GS0103-5520	20
	GS0103-5525	25
	GS0103-5530	30
	GS0103-5535	35
	GS0103-5540	40
	GS0103-5545	45
	GS0103-5550	50
	GS0103-5555	55
	GS0103-5560	60

Feature	Cat.No	Length(mm)
 (Dia=6.5mm)	GS0103-6520	20
	GS0103-6525	25
	GS0103-6530	30
	GS0103-6535	35
	GS0103-6540	40
	GS0103-6545	45
	GS0103-6550	50
	GS0103-6555	55
	GS0103-6560	60

Feature	Cat.No	Length(mm)
 (Dia=7.5mm)	GS0103-7520	20
	GS0103-7525	25
	GS0103-7530	30
	GS0103-7535	35
	GS0103-7540	40
	GS0103-7545	45
	GS0103-7550	50
	GS0103-7555	55
	GS0103-7560	60

Feature	Cat.No	Length(mm)
 (Dia=8.5mm)	GS0103-8520	20
	GS0103-8525	25
	GS0103-8530	30
	GS0103-8535	35
	GS0103-8540	40
	GS0103-8545	45
	GS0103-8550	50
	GS0103-8555	55
	GS0103-8560	60

GSS Polyaxial Reduction Screw

Feature	Cat.No	Length(mm)
 (Dia=4.5mm)	GS0122-4520	20
	GS0122-4525	25
	GS0122-4530	30
	GS0122-4535	35
	GS0122-4540	40
	GS0122-4545	45
	GS0122-4550	50
	GS0122-4555	55
	GS0122-4560	60

Feature	Cat.No	Length(mm)
 (Dia=5.5mm)	GS0122-5520	20
	GS0122-5525	25
	GS0122-5530	30
	GS0122-5535	35
	GS0122-5540	40
	GS0122-5545	45
	GS0122-5550	50
	GS0122-5555	55
	GS0122-5560	60

Feature	Cat.No	Length(mm)
 (Dia=6.5mm)	GS0122-6520	20
	GS0122-6525	25
	GS0122-6530	30
	GS0122-6535	35
	GS0122-6540	40
	GS0122-6545	45
	GS0122-6550	50
	GS0122-6555	55
	GS0122-6560	60

Feature	Cat.No	Length(mm)
 (Dia=7.5mm)	GS0122-7520	20
	GS0122-7525	25
	GS0122-7530	30
	GS0122-7535	35
	GS0122-7540	40
	GS0122-7545	45
	GS0122-7550	50
	GS0122-7555	55
	GS0122-7560	60

PRODUCT SPECIFICATION

GSS Set Screw

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0104-0010 10(O.D)x
5.3(H)

GSS Transverse Link

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0120-0035 35
GS0120-0038 38
GS0120-0042 42
GS0120-0050 50

GSS Rod

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0150-0040 40
GS0150-0050 50
GS0150-0060 60
GS0150-0070 70
GS0150-0080 80
GS0150-0090 90
GS0150-0100 100
GS0150-0110 110
GS0150-0120 120
GS0150-0130 130
GS0150-0140 140
GS0150-0150 150
GS0150-0160 160
GS0150-0170 170
GS0150-0180 180
GS0150-0190 190
GS0150-0200 200
GS0150-0250 250
GS0150-0300 300
GS0150-0350 350
GS0150-0400 400
GS0150-0500 500
GS0150-0600 600

GSS ACCESSORY

Axial Rod Connector

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0190-6060 11(O.D)x
29(L)

Domino Rod Connector

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0195-6060 21(W)x
14(L)x
11.5(H)

Lateral Rod Connector(Closed)

Feature	Cat.No	Length(mm)
---------	--------	------------



GS0192-0610 10
GS0192-0615 15
GS0192-0620 20
GS0192-0625 25
GS0192-0630 30
GS0192-0635 35
GS0192-0640 40

Lateral Rod Connector(Illiolumbar Poly)

Feature	Cat.No	Length(mm)
---------	--------	------------





GS0191-0610 28
GS0191-0615 33
GS0191-0620 38
GS0191-0625 43
GS0191-0630 48
GS0191-0635 53
GS0191-0640 58

Lateral Rod Connector(Open)

Feature	Cat.No	Length(mm)
---------	--------	------------





GS0193-0610 10
GS0193-0615 15
GS0193-0620 20
GS0193-0625 25
GS0193-0630 30
GS0193-0635 35
GS0193-0640 40



Mid Auto Screws

[Unit : mm]



Code	System	Type	Head Diameter(A)	Length(L)	Outer Diameter(B)	Color
241.021603	Mid	Self-Drilling	Ø2.5	3	Ø1.6	Dark Green
241.021604				4		
241.021605				5		
241.021606				6		
241.021607				7		
241.021608				8		
241.021609				9		
241.021610				10		
241.021611				11		
241.021612				12		



Mid Cortical Screws

[Unit : mm]

Code	System	Type	Head Diameter(A)	Length(L)	Outer Diameter(B)	Color
241.011603	Mid	Self - Tapping	Ø2.5	3	Ø1.6	Silver
241.011604				4		
241.011605				5		
241.011606				6		
241.011607				7		
241.011608				8		
241.011609				9		
241.011610				10		
241.011611				11		
241.011612				12		



Mid Emergency Screws

[Unit : mm]

Code	System	Type	Head Diameter(A)	Length(L)	Outer Diameter(B)	Color
241.011803	Mid	Self - Tapping	Ø2.5	3	Ø1.8	Purple
241.011804				4		
241.011805				5		
241.011806				6		
241.011807				7		
241.011808				8		
241.011809				9		
241.011810				10		
241.011811				11		
241.011812				12		